



Western Washington University
Western CEDAR

Salish Sea Ecosystem Conference

2018 Salish Sea Ecosystem Conference
(Seattle, Wash.)

Apr 6th, 10:30 AM - 10:45 AM

Pacific Salmon in Puget Sound: abundance, survival and body size (1970-2015)

James P. Losee

Washington Dept. of Fish and Wildlife, United States, james.losee@dfw.wa.gov

Aaron Dufault

Washington Dept. of Fish and Wildlife, United States, Aaron.dufault@dfw.wa.gov

Neala Kendall

Washington Dept. of Fish and Wildlife, United States, neala.kendall@dfw.wa.gov

Follow this and additional works at: <https://cedar.wwu.edu/ssec>

 Part of the Fresh Water Studies Commons, Marine Biology Commons, Natural Resources and Conservation Commons, and the Terrestrial and Aquatic Ecology Commons

Losee, James P.; Dufault, Aaron; and Kendall, Neala, "Pacific Salmon in Puget Sound: abundance, survival and body size (1970-2015)" (2018). *Salish Sea Ecosystem Conference*. 496.

<https://cedar.wwu.edu/ssec/2018ssec/allsessions/496>

This Event is brought to you for free and open access by the Conferences and Events at Western CEDAR. It has been accepted for inclusion in Salish Sea Ecosystem Conference by an authorized administrator of Western CEDAR. For more information, please contact westerncedar@wwu.edu.

Pacific Salmon in Puget Sound: Size, Abundance and Survival

James Losee, Aaron Dufault, Neala Kendall

Washington Department of Fish and Wildlife



Puget Sound-Background

Chinook




Coho



Chum



Sockeye



Pink



Steelhead



Study Objectives

- Compare trends in size, abundance and survival across all five species of Pacific Salmon and Steelhead (1970-2015)
 - How has the size of Puget Sound salmon changed?
 - How has abundance and species composition of Puget Sound salmon changed?
 - Are patterns of abundance and survival consistent across hatchery vs. naturally produced fish, life history type, region?




Study Objectives


- Compare trends in **size**, abundance and survival across all five species of Pacific Salmon and Steelhead (1970-2015)
 - How has the size of Puget Sound salmon changed?
 - How has abundance and species composition of Puget Sound salmon changed?
 - Are patterns of abundance and survival consistent across hatchery vs. naturally produced fish, life history type, region?



Salmon Size-Mass (kg)



Salmon Size




Study Objectives


- Compare trends in size, **abundance** and survival across all five species of Pacific Salmon and Steelhead (1970-2015)
 - How has the size of Puget Sound salmon species changed?
 - How has abundance and species composition of Puget Sound Salmon changed?
 - Are patterns of abundance and survival consistent across hatchery vs. naturally produced fish, life history type, region?




Salmon Abundance-Methods





Salmon Abundance 1970-2015




Salmon Species Diversity




Salmon Abundance-Regional




Salmon Abundance-Regional




Salmon Abundance-Hatchery vs. Natural



Salmon Abundance-Hatchery vs. Natural



■ Naturally Produced
■ Hatchery Produced
■ Aggregate/Undetermined

A close-up photograph of several salmon swimming upstream in a river. The water is clear and reflects the surrounding environment. The salmon are dark on top, fading to a lighter color on the bottom, with distinct red or orange spots on their sides. They are moving against a current, creating small white ripples in the water. In the background, tall, green grasses grow along the bank.

Conclusion

- Decrease in size of Pacific Salmon with the exception of coho and sockeye
- Decrease in abundance of naturally produced “smolt” life history types particularly in South and Central Sound.
- Decrease in species diversity of Pacific Salmon in Puget Sound

Acknowledgements

- Northwest Indian Fish Commission and WDFW-Anderson, Jon Carey, Mara Zimmerman, Angelika Hagen-Braux, Kirt Hughes, Kyle Addicks Ryan Lothrop, Mara Zimmerman, Salish Sea Marine Survival Project

Questions




Study Objectives


- Compare trends in size, abundance and **survival** across all five species of Pacific Salmon and Steelhead (1970-2015)
 - How has the size of Puget Sound salmon species changed?
 - How has abundance and species composition of Puget Sound Salmon changed?
 - Are patterns of abundance and survival consistent across hatchery vs. naturally produced fish, life history type, region?




Salmon Survival Hatchery vs. Wild



Salmon Survival Hatchery vs. Wild



Salmon Survival Hatchery vs. Wild



ons are different from two time perio
r differences.




Figure X. Species Composition of Pacific Salmon, *Ocorhynchus* in Puget Sound, WA
in years 1970-1979 vs. 2006-2015.


Salmon Size-Mass (kg)

Purse Seine Catch
1970-2015

caught/landed
weight

N=>500 landing
reports per species
per year

Average ~4523



Puget Sound-Background

Chinook




Coho



Chum



Sockeye



Pink



Steelhead



Salmon Survival-Methods


Hatchery origin survival
= recruit per release (SAR)




Natural origin survival =
recruit per spawner




Salmon Survival and Climate




Salmon Survival and Climate




Salmon Survival and Climate



Salmon Survival Hatchery vs. Wild



Pink Effect?



of fish

